

Aquariums & Accessories

Valid from 2024







JUWEL Aquarium Aquariums of the highest quality from Germany

For more than 50 years JUWEL Aquarium has been synonymous with quality and innovation in aquarium manufacturing and thus sets standards in design and technology. Emphasis was placed on a systems concept right from the start.

We therefore developed the technology required for the successful operation of an aquarium from early on and our first brand was able to offer a range of aquariums with components that are all perfectly compatible with each other.

We have remained true to this principle, so that today, JUWEL Aquarium is synonymous with high-quality system aquariums, ultra-modern technology and the highest quality standards.

To this day, an experienced team is constantly working with great enthusiasm to create a beautiful home for your fish. This performance has made us the brand of the century as well as Europe's no. I aquarium brand.



Precision and the latest manufacturing technology in all production steps



Rio 290 →

→ from autumn 2024

The new Rio 290, with its compact shape and unusual height and depth, was added to the Rio line to allow for even more design options.







Rio 125

Rio 180

Rio 240







Lighting MultiLux 80

Filter Type Bioflow M

Filter Performance 500 l/h, 5,5 Watt

Adjustable Heater 100 Watt

Lighting MultiLux 100

Filter Type Bioflow M

Filter Performance 600 l/h, 7 Watt

Adjustable Heater 200 Watt

Lighting MultiLux 120

Filter Type Bioflow M

Filter Performance 600 l/h, 7 Watt

Adjustable Heater 200 Watt



Black



Grey



White




Light wood

















Lighting MultiLux 100

Filter Type Bioflow L

Filter Performance 1000 l/h, 8 Watt

Adjustable Heater 300 Watt **Lighting** MultiLux 120

Filter Type Bioflow L

Filter Performance 1000 l/h, 8 Watt

Adjustable Heater 300 Watt **Lighting** MultiLux 150

Filter Type Bioflow XL

Filter Performance 1000 l/h, 8 Watt

Adjustable Heater 300 Watt Black

Grey


White


Light wood



Lido 120

Lido 200





Lighting MultiLux 60

Filter Type Bioflow M

Filter Performance 500 l/h, 5,5 Watt

Adjustable Heater 100 Watt **Lighting**MultiLux 70

Filter Type Bioflow M

Filter Performance 600 l/h, 7 Watt

Adjustable Heater 200 Watt Black

Grey

White

Light wood

MI.


Lido 200




Vision 180

Vision 260

Vision 450







Lighting MultiLux 92

Filter Type Bioflow M

Filter Performance 600 l/h, 7 Watt

Adjustable Heater 200 Watt **Lighting** MultiLux 120

Filter Type Bioflow L

Filter Performance 1000 l/h, 8 Watt

Adjustable Heater 300 Watt

Lighting MultiLux 150

Filter Type Bioflow XL

Filter Performance 1000 l/h, 8 Watt

Adjustable Heater 300 Watt



Black




White




Light wood



Trigon 190 Trigon 350





Lighting MultiLux 70

Filter Type Bioflow M

Filter Performance 600 l/h, 7 Watt

Adjustable Heater 200 Watt

Lighting

MultiLux 55 & 100

Filter Type Bioflow XL

Filter Performance 1000 l/h, 8 Watt

Adjustable Heater 300 Watt





White



Light wood





Primo 60 2.0



Primo 70 2.0



Primo 110 2.0





Lighting

NovoLux LED 60, 8 Watt

Filter Type **Bioflow One**

Filter Performance 300 l/h, 4,4 Watt

Adjustable Heater 50 Watt





Lighting

NovoLux LED 60, 8 Watt

Filter Type Bioflow S

Filter Performance 300 l/h, 4,4 Watt

Adjustable Heater 100 Watt





Lighting

NovoLux LED 80, 10,5 Watt

Filter Type Bioflow S

Filter Performance 500 l/h, 5,5 Watt

Adjustable Heater 100 Watt



Rio Line



Lido Line **Trigon** Line Vision Line 180 260 450 120 200 190 350 144 80 +-64 ca. 180 l ca. 260 l ca. 450 l ca. 120 l ca. 200 l ca. 190 l ca. 350 l

The heart of a JUWEL aquarium

The Bioflow filtration system



Eccoflow

Circulating pump

Highly-efficient, replaceable and whisper-quiet flow pump of the new Eccoflow generation with doublemounted impeller axle.



1. Filter phase

High flow velocity

In the top section of the filter system, the increased flow velocity ensures ideal mechanical and chemical filtering of your aquarium.



AquaHeat Pro

Adjustable heater

Invisible adjustable heater that is integrated in the water circuit.

2. Filter phase

Low flow velocity

The reduced flow velocity in the bottom section of the filter system benefits the development of bacteria in the anaerobic area, which are essential for the biological filtering of an aquarium.



Filter System Sizes



Bioflow S



Bioflow L

Bioflow XL

Multiple types of filter media included

Perfectly coordinated filter media guarantee optimum filtering.



BioPad Filter wadding



Optional



BioCarb Active charcoal sponge



Nitrax Nitrate remover



BioPlus Coarse Coarse-pored filter sponge



BioPlus Fine Fine-pored filter sponge



Amorax Ammonium remover



Carbax Highly effective active charcoal



Cirax Ceramic granules



Phorax Phosphate remover



FilterGrid

Fine-mesh intake slot

- Reduces the entry of tiny Shrimp and fish into the JUWEL Bioflow Filter
- Reduces the size of the top and lateral intake slots
- Does not reduce the flow rate
- Works with Bioflow Filters Super, M, L and XI











AquaClean 2.0

- Ideal for cleaning JUWEL filters and ground material
- Including an adapter for cleaning the JUWEL internal filter
- Simple, repeated squeezing of the pump activates the water flow immediately

MultiLux LED

The new standard

Aquariums with state-of-the-art LED lighting



Replaceable LED tubes



Optimum light spectrum for plants and fish



Energy saving



Including Lighting media



LED **Day** - 9000 K

High-performance LED tubes with bright, stimulating light for your MultiLux LED light unit.



LED Nature - 6500 K

High-performance LED tube with warm, natural light for your MultiLux LED light unit.











Optional



LED Colour - 4425 K

High-performance LED tube with warm, reddish light for your MultiLux LED light unit.

^{*} Not compatible with T5 light units

HeliaLux Spectrum · Specially developed full-spectrum LED light unit with maximum performance HeliaLux · White, blue, green and red SMD Spectrum LEDs for maximum brilliance in aquariums



HeliaLux AppControl


For controlling HeliaLux light units using the MyJUWEL app

- · Colours individually controllable
- Individually programmable daily routines
- Individually programmable cloud effects
- With five pre-configured profiles installed
- Control the lighting in your aquarium from anywhere in the world



Made for MyJUWEL App





HeliaLux Splitter

Adapter for operating up to two HeliaLux light units on the HeliaLux AppControl.



HeliaLux Spectrum Splitter



HeliaLux UniversalFit

Universal bracket for HeliaLux LED compatible with all aquariums.

SmartCam

Underwater camera

The JUWEL SmartCam allows you to comfortably monitor your aquarium from anywhere.







PanoramicView

keep an eye on everything with a 120° camera angle



EasySnap

Integrated photo and video function



SimpleShare

Grant camera authorisations so you can share via the JUWEL app



GlobalAccess

Global access to the camera via the JUWEL app





Digital Thermometer 3.0

Perfectly integrated digital thermometer with a large display

- Perfectly integrated into the JUWEL design
- Suitable for fresh and salt water
- Precise: +/- 0.5°C
- Also compatible with aquariums from other manufacturers, thanks to the included suction cup



SmartFeed AppControl

NEW

Smart automatic feeder that can be controlled using the MyJUWEL app

- · Unlimited number of feedings per day
- Feed quantity dispensable in 8 levels
- A push notification is sent when the fill level of the feed chamber is low
- The app controlled SmartFeed can be controlled from anywhere in the world

• Exchangeable screw conveyors for granulate and flake feeds





Made for MyJUWEL App



EasyFeed

The automatic feeder to fit all JUWEL aquariums

- Adjustable feed quantity
- Up to two feedings per day may be programmed




SmartFeed 2.0

The comfortable automatic feeder for all JUWEL aquariums

- Up to three feeds per day
- Three feeding intervals can be selected (24/48/72h)
- Feed quantity dispensable in 8 levels
- Exchangeable screw conveyors for granulate and flake feeds
- Including feeding chamber extension
- USB port for continuous power supply







JUWEL decoration concepts For a greater effect of depth in the aquarium

- The Cliff Dark decoration concept impresses with its natural brownish hue
- The Cliff Light is a naturalistic reproduction of bright, sand-coloured rock



Cliff Filter Cover

Stone

 The Stone decoration concept is a naturalistic reproduction of a clay- and granite-coloured rock face



Stone Filter Cover



Stone Backgrounds



STR

• Attractive bark structure

STR Background

Conexo

Decoration adhesive

• For permanent attachment of Backgrounds




Poster Decor

Poster Backgrounds S, L, XL

- For all aquariums from 60 to 150 cm
- Two attractive motives on each poster





PosterFix

JUWEL PosterFix is an oil that will enhance the three-dimensional effect of your film backgrounds.

- Easy to handle
- · Minimises reflection
- · Can be removed without a problem
- Improves colour intensity

For further information, visit www.juwel-aquarium.com



For further information about JUWEL Aquarium products and JUWEL Aquarium dealers in your area, please visit

www.juwel-aquarium.co.uk

JUWEL® Aquarium (UK) A branch of Juwel Aquarium AG & Co. KG Gateway 11 Business Park, Penfold Drive,

Wymondham NR18 OWZ, UNITED KINGDOM

Customer service +44(0)]953 606 363

Service-Fax +44(0)1953 603 839

Service-Mail info@juwel-aquarium.co.uk

* JUWEL, Trigon, Vision, Primo, Rio, Lido, PrimoLux, MultiLux, HeliaLux, NovoLux, HiLite, Twin-Lite, Warm-Lite, Colour-Lite, Day-Lite, Bioflow, FilterGrid, Eccoflow, SeaSkim, JUWEL Aqua Clean, bioPad, bioCarb, Cirax, Nitrax, Phorax, Carbax, Amorax, HiFlex, UniversalFit, NovoLux DayControl, HeliaLux SmartControl, EccoSkim, SmartFeed, EasyFeed

© JUWEL® Aquarium

© Apple and the Apple logo are trademarks of Apple Inc., registered in the U.S. and other countries.

Design by R———J www.redeleitundjunker.de

Presented by:					

Not responsible for typographical errors or misprints. Subject to change without notice. INT / 97130 / 2024